

1. Product and Company Identification

Material name HP Color LaserJet CC530A Black Print Cartridge

This product is a black toner preparation that is used in HP Color LaserJet CP2025 and Use of the preparation

CM2320 series printers.

Version #

08-28-2008 Revision date

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Hewlett-Packard health effects line

1-800-457-4209 (Toll-free within the US) 1-503-494-7199 (Direct)

General information telephone number

HP Customer Care Line 1-800-474-6836 1-800-474-6836 (Toll-free) 1-208-323-2551 (Direct) Aug 28, 2008 **Date prepared** MSDS number 308743

2. Hazards Identification

Acute health effects

Skin contact Unlikely to cause skin irritation. May cause transient slight irritation Eye contact

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use

of this product as intended does not result in inhalation of excessive amounts of dust.

Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.

Ingestion is not expected to be a primary route of exposure for this product under normal use

Chronic health effects Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this

product as intended does not result in inhalation of excessive amounts of dust.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Carcinogenicity

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU

Directive 1999/45/EC, as amended.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Styrene acrylate copolymer	Trade Secret	< 85	
Wax	Trade Secret	< 10	
Carbon black	1333-86-4	< 6	
Amorphous silica	7631-86-9	< 2	

Material name CC530A MSDS US Version number 1 Creation date Aug 20, 2008 1/6



4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

5. Fire Fighting Measures

Flash point and method Not applicable

Hazardous combustion Carbon monoxide and carbon dioxide.

products

Like most organic material in powder form, toner can form explosive dust-air mixtures when Flammable properties

finely dispersed in air.

Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Protection of firefighters

Protective equipment and

precautions for firefighters

If fire occurs in the printer, treat as an electrical fire.

Special firefighting procedures

None established.

6. Accidental Release Measures

Personal precautions Minimize dust generation and accumulation.

Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Other information Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder

with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance

with federal, state, and local regulations.

7. Handling and Storage

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Keep tightly closed and dry. Store away from strong

oxidizers. Store at room temperature.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

CAS# **TWA STEL** Components Ceiling Carbon black 1333-86-4 3.5 mg/m3 Not established Not established

Material name CC530A MSDS US Creation date Aug 20, 2008 Version number 1 2/6



OSHA

Components CAS# **TWA STEL** Ceiling Carbon black 1333-86-4 3.5 mg/m3 3.5 mg/m3 Not established Not established **TWA**

Exposure guidelines USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH

(TWA/TLV): 10 mg/m3

Personal protective equipment

General No personal respiratory protective equipment required under normal conditions of use.

9. Physical & Chemical Properties

Fine powder **Appearance**

Color Black

Odor Slight plastic odor **Odor threshold** Not available. Physical state Not available.

Form solid

Not applicable pН **Melting point** Not available. Freezing point Not available. Not applicable **Boiling point** Flash point Not applicable **Evaporation rate** Not applicable **Flammability** Not available. Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air,

lower, % by volume

Not flammable

Not applicable Vapor pressure Not applicable Vapor density Specific gravity 1 - 1.2 (H2O = 1)Not available. Relative density

Solubility in water Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not applicable **Decomposition temperature** Not available.

176 - 266 °F (80 - 130 °C) Softening point

Viscosity Not applicable

10. Chemical Stability & Reactivity Information

Chemical stability Stable under normal storage conditions. Conditions to avoid Imaging Drum: Exposure to light

Material name CC530A MSDS US Creation date Aug 20, 2008 Version number 1 3/6



Incompatible materials Strong oxidizers

Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Oral toxicity LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful.. Not classified for acute oral toxicity

according to EU Directive 67/548/EEC and 1999/45/EC.

Inhalation toxicity No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

Chronic toxicity No information available.

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans,

Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or

OSHA.

IARC Monographs on Occupational Exposures to Chemical Agents: Evidence of carcinogenicity in humans

Amorphous silica (7631-86-9) Inadequate data. Carbon black (1333-86-4) Inadequate data.

US ACGIH Threshold Limit Values: A4 carcinogen

Carbon black (1333-86-4) Group A4 Not classifiable as a human carcinogen.

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California

Prop. 65, and DFG (Germany).

Symptoms and target organs

NIOSH Pocket Guide - Target organs

Amorphous silica (7631-86-9) Eyes

Amorphous silica (7631-86-9) Eyes, resp sys Amorphous silica (7631-86-9) Respiratory system

Carbon black (1333-86-4) Eyes

Carbon black (1333-86-4) Respiratory system

Carbon black (1333-86-4)

Serious health hazard. Flammable liquid. May polymerize explosively on loss of inhibitor.

12. Ecological Information

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructionsDo not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

Material name CC530A MSDS US

Creation date Aug 20, 2008 Version number 1 4 / 6

14. Transport Information

IATA

Not regulated as dangerous goods.

15. Regulatory Information

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or **US federal regulations**

orders under TSCA.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

International regulations

No

chemical

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea. New Zealand, and China.

State regulations

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (1333-86-4)

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon black (1333-86-4) Listed: February 21, 2003 Carcinogenic.

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Carbon black (1333-86-4) Listed

16. Other Information

HMIS® ratings Health: 1

Flammability: 1

Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

Aug 28 2008 12:19PM Issue date

Revision

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name CC530A MSDS US Version number 1



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS **Chemical Abstracts Service**

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

Department of Transportation DOT

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

Recommended Exposure Limit REL

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

Toxicity Characteristics Leaching Procedure **TCLP**

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name CC530A MSDS US Creation date Aug 20, 2008 6/6