

MATERIAL SAFETY DATA SHEET

SECTION 1IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE
COMPANY/UNDERTAKINGProduct Name:MP CARTRIDGE 30Product Code:3709A / M95-0441Manufacturer:CANON ELECTRONICS INC., 1248, Shimokagemori, Chichibu-shi, Saitama 369-1892, JapanSupplier:Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USAPhone # :1-800-OK-CANON24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	60-70	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	30-40	None/ None	Not established	Not established	Not established	Not established
hydrogen bis[3,5-di-tert-butylsalicyl ato(2-)-O1,O2]chromate(1 -)	72869-85-3/ 276-955-4	1-2 (as Cr: 0.1-0.2)	Xn/ R22	Not established	Not established	Not established	Not established

CAS#

Reference

< Carcinogen >

Chemical Name

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.



SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

USA OSHA PEL (TWA):	15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m ³ (Inhalable fraction), 3 mg/m ³ (Respirable fraction)
DFG (MAK):	4 mg/m ³ (Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
(Also refer to SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100 - 150 (Softening point)
Decomposition Temperature(°C):	>200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature(°C):	Not available
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	1.4-1.6
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Water):	Not applicable
Percent Volatile:	Negligible
Evaporation Rate:	Not applicable
Viscosity (mPa s):	Not applicable



SECTION 10 STABILITY AND	REACTIVITY
Stability:	X Stable
	Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition Products:	<u>CO, CO2</u>
Hazardous Polymerization:	☐ May Occur X Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available	
Ingestion: Rat, LD50 > 5000mg/kg	
Eye: Rabbit, transient slight conjunction	val irritation only.
Skin:	
Rabbit, non-irritant	
Sensitization: Guinea pig, skin : Non-sensitizin	g
Mutagenicity: Ames Test (S. typhimurium): Ne	gative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	
respirable-sized particles compare most relevant to potential human animals at 4 mg/m ³ , and a mild to	response upon chronic inhalation exposure in rats to a toner enriched in red to commercial toner. No pulmonary change was found at 1 mg/m ³ which is exposure. A minimal to mild degree of fibrosis was noted in 22% of the o moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . lung overloading", a generic response to excessive amounts of any dust retained

in the lung for a prolonged interval.



SECTION 12 ECOLOGICAL INFORMATION

ble
ble
ble
ble
ble
1

SECTION 13 DISPOSAL CONSIDERATION

Method of Disposal:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

erial.



Safety Advice: Not required	
Hazardous Component(s): None	
SARA Title III §313:	
Chemical Name	Weight %
"Chromium(III) Compounds"	1-2
(as Cr)	(0.1-0.2)
California Proposition 65:	
Chemical Name	Weight %
None	
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)
< Australia Information >	
Statement of Hazardous Nature:	Not classified as hazardous according to criteria of NOHSC.
SECTION 16 OTHER INFOR	MATION
R phrase list: R22 - Harmful if swallowed.	
Revised information from the previ	lous version:
Entirely revised	
 U.S. Department of Health and Human Ser World Health Organization International A Chemicals to Humans DFG, List of MAK and BAT Values EU Directive 76/769/EEC, 67/548/EEC, 1 EU Regulation (EC)2037/2000, (EC)304/2 Canada Workplace Hazardous Materials In Australia National Occupational Health and Abbreviations: "EU" stands for European Union. "OSHA PEL" stands for TEL(Permissible E: "ACGIH TLV" stands for TLV(Threshold L "EU" stands for Indicative Limit Value: "DFG MAK" stands for Indicative Limit Value: "IDFG MAK" stands for International Agency for 1 "NTP" stands for International Agency for 1 "NTP" stands for National Toxicology Prog "OSHA HCS" stands for Ccupational Safet "FHSA" stands for Federal Hazardous Subst "WHMIS" stands for Workplace Hazardous 	CFR Part 372 n, 16CFR Part 1500 ical Substances and Physical Agents and Biological Exposure Indices vices National Toxicology Program, Annual Report on Carcinogens gency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of 999/45/EC 2003 formation System 1 Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008] xposure Limit) under Occupational Safety and Health Administration(USA). imit Value) under American Conference of Governmental Industrial Hygienists. s for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. beitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft. Research on Cancer. am (USA). y and Health Act, Hazard Communication Standard(USA). ances Act(USA). Materials Information System. Health and Safety Commission Act 1985.
date hereof. The company/manufacturer r responsibility for any reliance thereon. The determination as to its suitability for their p with applicable Federal, state and local law nature whatsoever resulting from the use or NO REPRESENTATIONS OR WARRA	NTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A DTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT