

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497360

DATE PRINTED: 12/28/2005

PAGE: 1

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME : EPS-7360 CYAN EXP 9017-024-01
PRODUCT TYPE .. : InkJet ink; water based; nonflammable

MANUFACTURER .. : SENSIENT IMAGING TECHNOLOGIES, INC.
ADDRESS : 529 WEST FOURTH AVENUE
 ESCONDIDO, CA 92025-4037

EMERGENCY PHONE (CHEMTREC 24 HOUR): 800-424-9300
INFORMATION PHONE : 760-741-2345

PREPARER: DEAN POTTER
REASON FOR MSDS ISSUE: Correction
MSDS VERSION: I

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL FAMILY : WATER/GLYETHER/DYE

| HAZARDOUS COMPONENTS | CAS # | WEIGHT % |
|--|----------|----------|
| GLYCOL ETHER | STS059 | 15-25% |
| No PEL established | | |
| SARA (USA) Sections 311 and 312 hazard classifications(s) immediate (acute) health hazard. | | |
| SARA Title III Section 313 reportable as Glycol Ether | | |
| PYRROLIDONE, 2- | 616-45-5 | 10-20% |
| No PEL established. | | |
| PHthalOCYANINE DYE | STS114 | 1-10% |
| 0.5-2% copper in complex form. | | |
| OSHA 1.0 mg/m ³ (as Cu dusts/mists). | | |
| SARA III, Section 313 (1%) reportable as a copper compound | | |
| N-PROPANOL | 71-23-8 | 1-10% |
| OSHA PEL/ACGIH TWA 200 ppm, STEL 250 ppm. Absorbed through skin. | | |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number. Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

HMIS CODES: H F R P
 2 0 0 C

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
None reported or known to exist for the product unless listed in section two above:

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
Eye/skin: May cause irritation.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
May cause gastrointestinal irritation, vomiting, nausea, and diarrhea.

ACUTE HEALTH HAZARDS
Moderate eye and skin irritation.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
None known or determined for the product

CHRONIC HEALTH HAZARDS
None known or determined for the product.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497360

DATE PRINTED: 12/28/2005

PAGE: 2

CARCINOGENICITY

Product not tested. IARC, NTP, OSHA listed carcinogen components equal to or greater than 0.1% by weight will be listed in paragraph 2 and described as carcinogens, if any.

4. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

Swallowed: Do NOT induce vomiting. Call a doctor and contact local poison control center immediately.

Eye contact: Flush eyes thoroughly with water. Seek medical attention if irritation persists.

Skin contact: Wash contaminated areas with soap and water.

Inhaled: Remove victim to fresh air.

5. FIRE FIGHTING MEASURES

FLASH POINT : N/A

METHOD USED: NA

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: NA **UPPER:** NA

EXTINGUISHING MEDIA:

NA

SPECIAL FIREFIGHTING PROCEDURES:

NA

UNUSUAL FIRE AND EXPLOSION HAZARDS

NA

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Soak up on paper or other absorbent and scoop into closed containers.

Flush area with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Storage temperature: Standard room temperature (68 degrees Fahrenheit).

Special sensitivity: Heat, light, moisture.

Precautions: Keep container closed. Store away from traffic.

OTHER PRECAUTIONS

None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not necessary

VENTILATION:

Mechanical ventilation is acceptable.

PROTECTIVE GLOVES:

Rubber

EYE PROTECTION:

Goggles or safety glasses with side shields.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Impervious clothing where skin contact is unavoidable; eyewash station.

WORK/HYGIENIC PRACTICES:

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497360

DATE PRINTED: 12/28/2005

PAGE: 3

Avoid contamination of food, drink, etc. No smoking when handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------------------|
| BOILING POINT: > 200ø F | SPECIFIC GRAVITY (H2O=1): 1-1.1 |
| VAPOR PRESSURE (mm of Hg): ND | VAPOR DENSITY (AIR = 1): > 1 |
| EVAPORATION RATE (BUTYL ACETATE=1): > 1 | MATERIAL VOC: Not measured |
| PHYSICAL STATE: Liquid | COLOR : CYAN |
| ODOR: Mild | SOLUBILITY IN WATER: Complete |

10. REACTIVITY

STABILITY:
Stable

CONDITIONS TO AVOID:
None known

INCOMPATIBILITY (MATERIALS TO AVOID):
Oxidizing materials and strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:
Oxides of carbon and nitrogen.

HAZARDOUS POLYMERIZATION:
None

11. TOXICOLOGICAL INFORMATION

No information available.

12. ECOLOGICAL INFORMATION

Do not discharge product uncontrolled into the environment

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Waste shall be disposed of in accordance with federal, state, and local environmental control regulations.

14. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME:
Not regulated.

15. PRODUCT REGULATORY INFORMATION

OSHA STATUS:

Product not tested. It is not considered to be toxic per 29CFR1910.1200 but is considered to be a skin/eye irritant.

USA TSCA STATUS:

All components of this product are included on the TSCA Section 8 inventory.

INTERNATIONAL EXPORT/IMPORT STATUS:

Not determined for every country. Contact SENSIENT IMAGING TECHNOLOGIES for certification if required.

Formulas are proprietary, so ingredient lists may only be released to Customs/Health offices designated to control trade secrets.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497360

DATE PRINTED: 12/28/2005

PAGE: 4

SARA TITLE III SECTION 313 TOXIC CHEMICALS:

Product not listed. SARA listed ingredients at or above De Minimis reporting levels are noted in paragraph 2, if any.

RCRA HAZARDOUS WASTE NUMBER/STATUS:

If discarded in its purchased form, this product would not be a federal hazardous waste either by listing or by characteristic. States, however, often have stricter criteria. Users should check with their state regulatory agencies for current hazardous waste criteria. Under RCRA it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

OZONE-DEPLETING CHEMICALS:

No regulated ingredients.

NEW JERSEY

REPORTABLE COMPONENTS

CAS #

| | |
|--------------------|-----------|
| WATER, DEIONIZED | 7732-18-5 |
| GLYCOL ETHER | STS059 |
| PYRROLIDONE, 2- | 616-45-5 |
| PHTHALOCYANINE DYE | STS114 |
| N-PROPANOL | 71-23-8 |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number.

CALIFORNIA PROPOSITION 65 (CARCINOGENS):

REPORTABLE COMPONENTS

CAS #

WEIGHT %

. NONE UNLESS LISTED, AS FOLLOWS:

CALIFORNIA PROPOSITION 65 (REPRODUCTIVE TOXINS):

REPORTABLE COMPONENTS

CAS #

WEIGHT %

. NONE UNLESS LISTED, AS FOLLOWS:

16. OTHER INFORMATION

LABEL INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. SENSIENT IMAGING TECHNOLOGIES makes no warranty, express or implied, as to the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497340

DATE PRINTED: 2/8/2006

PAGE: 1

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME : EPS-7340 YELLOW EXP 7626-095-01
PRODUCT TYPE .. : InkJet ink; water based; nonflammable

MANUFACTURER .. : SENSIENT IMAGING TECHNOLOGIES, INC.
ADDRESS : 529 WEST FOURTH AVENUE
 : ESCONDIDO, CA 92025-4037

EMERGENCY PHONE (CHEMTREC 24 HOUR): 800-424-9300
INFORMATION PHONE : 760-741-2345

PREPARER: DEAN POTTER
REASON FOR MSDS ISSUE: Current issue
MSDS VERSION: A

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL FAMILY : WATER/GLYETHER/DYE

| HAZARDOUS COMPONENTS | CAS # | WEIGHT % |
|--|----------|----------|
| GLYCOL ETHER | STS059 | 15-25% |
| No PEL established | | |
| SARA (USA) Sections 311 and 312 hazard classifications(s) immediate (acute) health hazard. | | |
| SARA Title III Section 313 reportable as Glycol Ether | | |
| PYRROLIDONE, 2- | 616-45-5 | 10-20% |
| No PEL established. | | |
| N-PROPANOL | 71-23-8 | 1-10% |
| OSHA PEL/ACGIH TWA 200 ppm, STEL 250 ppm. Absorbed through skin. | | |
| AZO DYE | STS117 | < 2% |
| No PEL established. | | |
| May cause irritation to eye, skin and lungs | | |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number. Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

HMIS CODES: H F R P
 2 0 0 C

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
None reported or known to exist for the product unless listed in section two above:

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
Eye/skin: May cause irritation.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
May cause gastrointestinal irritation, vomiting, nausea, and diarrhea.

ACUTE HEALTH HAZARDS
Moderate eye and skin irritation.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
None known or determined for the product

CHRONIC HEALTH HAZARDS
None known or determined for the product.

CARCINOGENICITY

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497340

DATE PRINTED: 2/8/2006

PAGE: 2

Product not tested. IARC, NTP, OSHA listed carcinogen components equal to or greater than 0.1% by weight will be listed in paragraph 2 and described as carcinogens, if any.

4. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

Swallowed: Do NOT induce vomiting. Call a doctor and contact local poison control center immediately.
Eye contact: Flush eyes thoroughly with water. Seek medical attention if irritation persists.
Skin contact: Wash contaminated areas with soap and water.
Inhaled: Remove victim to fresh air.

5. FIRE FIGHTING MEASURES

FLASH POINT : NA
METHOD USED: NA
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: NA UPPER: NA
EXTINGUISHING MEDIA:
NA
SPECIAL FIREFIGHTING PROCEDURES:
NA
UNUSUAL FIRE AND EXPLOSION HAZARDS
NA

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Soak up on paper or other absorbent and scoop into closed containers.
Flush area with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
Storage temperature: Standard room temperature (68 degrees Fahrenheit).
Special sensitivity: Heat, light, moisture.
Precautions: Keep container closed. Store away from traffic.

OTHER PRECAUTIONS
None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:
Not necessary

VENTILATION:
Mechanical ventilation is acceptable.

PROTECTIVE GLOVES:
Rubber

EYE PROTECTION:
Goggles or safety glasses with side shields.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
Impervious clothing where skin contact is unavoidable; eyewash station.

WORK/HYGIENIC PRACTICES:
Avoid contamination of food, drink, etc. No smoking when handling.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497340

DATE PRINTED:

2/8/2006

PAGE: 3

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------------------|
| BOILING POINT: > 200ø F | SPECIFIC GRAVITY (H2O=1): 1-1.1 |
| VAPOR PRESSURE (mm of Hg): ND | VAPOR DENSITY (AIR = 1): > 1 |
| EVAPORATION RATE (BUTYL ACETATE=1): > 1 | MATERIAL VOC: Not measured |
| PHYSICAL STATE: Liquid | COLOR : YELLOW |
| ODOR: Mild | SOLUBILITY IN WATER: Complete |

10. REACTIVITY

STABILITY:
Stable

CONDITIONS TO AVOID:
None known

INCOMPATIBILITY (MATERIALS TO AVOID):
Oxidizing materials and strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:
Oxides of carbon and nitrogen.

HAZARDOUS POLYMERIZATION:
None

11. TOXICOLOGICAL INFORMATION

No information available.

12. ECOLOGICAL INFORMATION

Do not discharge product uncontrolled into the environment

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Waste shall be disposed of in accordance with federal, state, and local environmental control regulations.

14. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME:
Not regulated.

15. PRODUCT REGULATORY INFORMATION

OSHA STATUS:

Product not tested. It is not considered to be toxic per 29CFR1910.1200 but is considered to be a skin/eye irritant.

USA TSCA STATUS:

All components of this product are included on the TSCA Section 8 inventory.

INTERNATIONAL EXPORT/IMPORT STATUS:

Not determined for every country. Contact SENSIENT IMAGING TECHNOLOGIES for certification if required. Formulas are proprietary, so ingredient lists may only be released to Customs/Health offices designated to control trade secrets.

SARA TITLE III SECTION 313 TOXIC CHEMICALS:

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497340

DATE PRINTED: 2/8/2006

PAGE: 4

Product not listed. SARA listed ingredients at or above De Minimis reporting levels are noted in paragraph 2, if any.

RCRA HAZARDOUS WASTE NUMBER/STATUS:

If discarded in its purchased form, this product would not be a federal hazardous waste either by listing or by characteristic. States, however, often have stricter criteria. Users should check with their state regulatory agencies for current hazardous waste criteria. Under RCRA it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

OZONE-DEPLETING CHEMICALS:

No regulated ingredients.

NEW JERSEY

REPORTABLE COMPONENTS

CAS #

| REPORTABLE COMPONENTS | CAS # |
|-----------------------|-----------|
| WATER, DETONIZED | 7732-18-5 |
| GLYCOL ETHER | STS059 |
| PYRROLIDONE, 2- | 616-45-5 |
| AZO DYE | STS171 |
| N-PROPANOL | 71-23-8 |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number.

CALIFORNIA PROPOSITION 65 (CARCINOGENS):

REPORTABLE COMPONENTS

CAS #

WEIGHT %

NONE UNLESS LISTED, AS FOLLOWS:

CALIFORNIA PROPOSITION 65 (REPRODUCTIVE TOXINS):

REPORTABLE COMPONENTS

CAS #

WEIGHT %

NONE UNLESS LISTED, AS FOLLOWS:

16. OTHER INFORMATION

LABEL INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. SENSIENT IMAGING TECHNOLOGIES makes no warranty, express or implied, as to the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497320

DATE PRINTED: 2/8/2006

PAGE: 1

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME : EPS-7320 MAGENTA EXP. 6983-134-01
PRODUCT TYPE .. : InkJet ink; water based; nonflammable

MANUFACTURER .. : SENSIENT IMAGING TECHNOLOGIES, INC.
ADDRESS : 529 WEST FOURTH AVENUE
 : ESCONDIDO, CA 92025-4037

EMERGENCY PHONE (CHEMTREC 24 HOUR): 800-424-9300
INFORMATION PHONE : 760-741-2345
PREPARER: DEAN POTTER
REASON FOR MSDS ISSUE: Current issue
MSDS VERSION: A

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL FAMILY : WATER/DYE/GLYETHER

| HAZARDOUS COMPONENTS | CAS # | WEIGHT % |
|--|----------|----------|
| GLYCOL ETHER | STS059 | 10-20% |
| No PEL established | | |
| SARA (USA) Sections 311 and 312 hazard classifications(s) immediate (acute) health hazard. | | |
| SARA Title III Section 313 reportable as Glycol Ether | | |
| PYRROLIDONE, 2- | 616-45-5 | 5-15% |
| No PEL established. | | |
| AZOMONOCHEMOTRIAZINYL DYE | STS153 | 1-10% |
| No PEL established. Reactive dye - may cause respiratory sensitization. | | |
| N-PROPANOL | 71-23-8 | 1-10% |
| OSHA PEL/ACGIH TWA 200 ppm, STEL 250 ppm. Absorbed through skin. | | |
| AMINE | STS038 | < 2% |
| No PEL established. Skin sensitizer. | | |
| Carcinogenic in an oral feeding study in mice but not by dermal route. | | |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number. Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

HMIS CODES: H F R P
 2*0 0 C

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

None reported or known to exist for the product unless listed in section two above:

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Eye/skin: May cause irritation.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause gastrointestinal irritation, vomiting, nausea, and diarrhea.

ACUTE HEALTH HAZARDS

Moderate eye and skin irritation.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

None known or determined for the product

CHRONIC HEALTH HAZARDS

None known or determined for the product.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497320

DATE PRINTED: 2/8/2006

PAGE: 2

CARCINOGENICITY

Product not tested. IARC, NTP, OSHA listed carcinogen components equal to or greater than 0.1% by weight will be listed in paragraph 2 and described as carcinogens, if any.

4. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

Swallowed: Do NOT induce vomiting. Call a doctor and contact local poison control center immediately.

Eye contact: Flush eyes thoroughly with water. Seek medical attention if irritation persists.

Skin contact: Wash contaminated areas with soap and water.

Inhaled: Remove victim to fresh air.

5. FIRE FIGHTING MEASURES

FLASH POINT : NA

METHOD USED: NA

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: NA UPPER: NA

EXTINGUISHING MEDIA:

NA

SPECIAL FIREFIGHTING PROCEDURES:

NA

UNUSUAL FIRE AND EXPLOSION HAZARDS

NA

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Soak up on paper or other absorbent and scoop into closed containers.

Flush area with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Storage temperature: Standard room temperature (68 degrees Fahrenheit).

Special sensitivity: Heat, light, moisture.

Precautions: Keep container closed. Store away from traffic.

OTHER PRECAUTIONS

None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not necessary

VENTILATION:

Mechanical ventilation is acceptable.

PROTECTIVE GLOVES:

Rubber

EYE PROTECTION:

Goggles or safety glasses with side shields.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Impervious clothing where skin contact is unavoidable; eyewash station.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497320

DATE PRINTED: 2/8/2006

PAGE: 3

WORK/HYGIENIC PRACTICES:

Avoid contamination of food, drink, etc. No smoking when handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: > 200ø F

SPECIFIC GRAVITY (H2O=1): 1-1.1

VAPOR PRESSURE (mm of Hg): ND

VAPOR DENSITY (AIR = 1): > 1

EVAPORATION RATE (BUTYL ACETATE=1): > 1 MATERIAL VOC: Not measured

PHYSICAL STATE: Liquid

COLOR : MAGENTA

ODOR: Mild

SOLUBILITY IN WATER: Complete

10. REACTIVITY

STABILITY:

Stable

CONDITIONS TO AVOID:

None known

INCOMPATIBILITY (MATERIALS TO AVOID):

Oxidizing materials and strong acids.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

Oxides of carbon and nitrogen.

HAZARDOUS POLYMERIZATION:

None

11. TOXICOLOGICAL INFORMATION

No information available.

12. ECOLOGICAL INFORMATION

Do not discharge product uncontrolled into the environment

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

Waste shall be disposed of in accordance with federal, state, and local environmental control regulations.

14. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME:

Not regulated.

15. PRODUCT REGULATORY INFORMATION

OSHA STATUS:

Product not tested. It is not considered to be toxic per 29CFR1910.1200 but is considered to be a skin/eye irritant.

USA TSCA STATUS:

All components of this product are included on the TSCA Section 8 inventory.

INTERNATIONAL EXPORT/IMPORT STATUS:

Not determined for every country. Contact SENSIENT IMAGING TECHNOLOGIES for certification if required.

Formulas are proprietary, so ingredient lists may only be released to Customs/Health offices designated to control trade secrets.

M A T E R I A L S A F E T Y D A T A S H E E T

ITEM NUMBER: F497320

DATE PRINTED: 2/8/2006

PAGE: 4

SARA TITLE III SECTION 313 TOXIC CHEMICALS:

Product not listed. SARA listed ingredients at or above De Minimis reporting levels are noted in paragraph 2, if any.

RCRA HAZARDOUS WASTE NUMBER/STATUS:

If discarded in its purchased form, this product would not be a federal hazardous waste either by listing or by characteristic. States, however, often have stricter criteria. Users should check with their state regulatory agencies for current hazardous waste criteria. Under RCRA it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

OZONE-DEPLETING CHEMICALS:

No regulated ingredients.

NEW JERSEY

| REPORTABLE COMPONENTS | CAS # |
|----------------------------|-----------|
| WATER | 7732-18-5 |
| GLYCOL ETHER | STS059 |
| PYRROLIDONE, 2- | 616-45-5 |
| AZOMONOCHLOROTRIAZINYL DYE | STS153 |
| N-PROPANOL | 71-23-8 |

The New Jersey Trade Secret Registration Number of proprietary ingredients is controlled by the SENSIENT IMAGING TECHNOLOGIES product item number.

CALIFORNIA PROPOSITION 65 (CARCINOGENS):

| REPORTABLE COMPONENTS | CAS # | WEIGHT % |
|-----------------------------------|-------|----------|
| . NONE UNLESS LISTED, AS FOLLOWS: | | |

CALIFORNIA PROPOSITION 65 (REPRODUCTIVE TOXINS):

| REPORTABLE COMPONENTS | CAS # | WEIGHT % |
|-----------------------------------|-------|----------|
| . NONE UNLESS LISTED, AS FOLLOWS: | | |

16. OTHER INFORMATION

LABEL INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. SENSIENT IMAGING TECHNOLOGIES makes no warranty, express or implied, as to the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.