SHARP

Revised date: . Issued date :Sep.19.2002

MATERIAL SAFETY DATA SHEET (1/3)

MSDS No. B-1028

Section 1. Product Identification

Product Code : Ink-Cartridge (Mono) UX-C70B

Section 2. Supplier's Name and Address

Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

(Country)	(Name and Telephone Number)
U.S.A.	Sharp Electronics Corporation Telephone number for information: 1-800-237-4277 Emergency telephone number : 1-800-255-3924
Canada	Sharp Electronics of Canada Ltd. Telephone number for information : 905-890-2100 Emergency telephone number : 1-800-424-9300

Section 3. Composition / Information for Ingredients

Ingredients	Cas No.	Proportion (% by Weight)	OSHA PEL	ACGIH TLV
Carbon Black	1333-86-4	1-6	3.5 mg/m ³ (1)	3.5 mg/m ³ (1)
Acrylic Terpolymer	(2)	0.1-2	(3)	(3)
Water Soluble Organic Solvents	(2)	10-20	(3)	(3)
Hydroxylated Alkane	(2)(4)	1-10	(3)	(3)
Acrylic Resin	(2)	0.1-5	(3)	(3)
Water	7732-18-5	>55	(3)	(3)

Notes: (1) Total dust (measured carbon black)

(2) Trade secret of patented molecule.

(3) Specific workplace exposure limits have not been established.

(4) New Jersey Trade Secret Registration Number (NJTSRN) 80100451-5004

Section 4. Hazardous Identification

The following information is based on testing of the ink and on the characteristics of component chemicals: **Primary Routes of Entry:** Ink stains on skin or mucus membranes (mouth, eyes & nose) may cause discomfort.

Medical Conditions

Aggravated by Exposure: None known at intended levels of use.

POTENTIAL HEALTH EFFECTS:

Short Term Exposure If ink mist is inhaled, respiratory tract irritation may occur.
Long Term Exposure No adverse chronic effects expected.
Short Term Exposure Ink may be slightly irritating to the skin.
Long Term Exposure No adverse chronic effects expected. Not a dermal sensitizer.
Short Term Exposure Not an eye irritant.
Long Term Exposure No adverse chronic effects expected.
Short Term Exposure Low oral toxicity.
Long Term Exposure No adverse chronic effects known or expected, but based on component characteristics, gastrointestinal effects, liver and kidney toxicity, and CNS effects are possible if large guantities of ink are repeatedly ingested.

SHARP

Revised date: Issued date :Sep.19.2002

MATERIAL SAFETY DATA SHEET (2/3)

MSDS No. B-1028

Section 5. Firs	t Aid Measures				
Inhalation: Ingestion:	Remove to fresh air. Seek medical attention if breathing becomes difficult. Immediately rinse mouth out with plenty of water. If within 30 minutes after ingestion, give victim a small glass of water or milk (NEVER give anything by mouth to an unconscious person). Contact physician or poison center. Do not induce vomiting unless instructed to do so by a physician or poison center.				
Skin Contact:	Remove contaminated clothing. Flush affected area with water. Seek medical attention if irritation develops and persists.				
Eye Contact:	Flush immediately with plenty of water. Remove contact lenses and continue flushing for at least 15 minutes. Seek medical attention if irritation develops and persists.				
Section 6. Fire	Fighting Measures				
Extinguishing I Fire fighting: Fire and Explos Hazardous Con	Not applicable imits(%): Not applicable Media: Water, foam, carbon, dioxide or dry chemical. Fire may produce small amounts of hazardous decomposition products such as carbon dioxide, carbon monoxide, and unidentified organics. NIOSH approved self-contained breathing apparatus may be required if a large volume of ink is involved. sion Hazard: No unusual fire or explosion hazards are known for this product. hbustion Products: Oxides of carbon, organic acids, low molecular weight organics.				
Section 7. Acc	idental Release Measures				
Occupational S	pill: Absorb small ink spills with cloth or paper towels or other suitable material. Place in a container for disposal. For large spills, dike around spill with absorbent material. Transfer contaminated diking material to separate, suitable containers for recovery or disposal. Ventilate area and wash spill site after material pickup is complete. Unless specifically permitted, keep waste out of sewers, watershed and waterways.				
	Indling and Storage				
STORE IN COO	L, DRY PLACE				

Section 9. Exposure Control/Personal Protection

Ventilation:	Mechanical roor	n ventilation				
Eye Protection:	None needed for intended use in printer.					
Protective Clothing:	None needed fo	None needed for intended use in printer.				
Gloves:	None needed for intended use in printer.					
Section 10. Physic	al Chemical Ch	aracteristics				
Description:	Black liquid with fa	aint odor.	Freezing Point:	Approx12 to -150 °C		
Pressurized:	No		pH:	7.0-8.5		
Water Solubility:	Fully Miscible		Percent Volatile:	Approx. 18.7		
Evaporation Rate	-		Specific Gravity:	Approx. 1.0 mg/l		
(Butylacetate=1):	Approx. 3.5		Vapor Density (Air=1):	Approx. 1.6		
Section 11. Stability and Reactivity						
Stability:		None known.				
Incompatibilities:		None known.				
Thermal decomposit	tion products:	Oxides of carb	Oxides of carbon, acid gases, low molecular weight organics.			
Hazardous polymerization:			ill not polymerize.	0 0 0		

SHARP

MATERIAL SAFETY DATA SHEET (3/3)

MSDS No. B-1028

Section 12. Toxicological Information

Acute Toxicity: Not expected to be acutely toxic; LD50 (oral, rat) expected to be >2000 mg/kg Chronic Toxicity: Not expected to be chronically toxic based on component information, volume concentration, and intended use. Pure carbon black, a minor component of this ink, has been listed by LARC as (possible carcinogen). This classification is based on rat "lung particulate overload" studies performe airborne particulate carbon black.Ink is not listed by LARC, NTP, or OSHA. Carcinogenicity: OSHA Regulated(USA): Not listed In 1996 the LARC reevaluated carbon black as a Group 2B carcinogen (possi carcinogen). This evaluation is given to Carbon Black for which there is inade human evidence, but sufficient animal evidence. The latter is based upon the	
 (possible carcinogen). This classification is based on rat "lung particulate overload" studies performe airborne particulate carbon black.Ink is not listed by LARC, NTP, or OSHA. Carcinogenicity: OSHA Regulated(USA): Not listed In 1996 the LARC reevaluated carbon black as a Group 2B carcinogen (possi carcinogen). This evaluation is given to Carbon Black for which there is inade human evidence, but sufficient animal evidence. The latter is based upon the 	
 airborne particulate carbon black.Ink is not listed by LARC, NTP, or OSHA. OSHA Regulated(USA): Not listed In 1996 the LARC reevaluated carbon black as a Group 2B carcinogen (possi carcinogen). This evaluation is given to Carbon Black for which there is inade human evidence, but sufficient animal evidence. The latter is based upon the 	group 2B
In 1996 the LARC reevaluated carbon black as a Group 2B carcinogen (possi carcinogen). This evaluation is given to Carbon Black for which there is inade human evidence, but sufficient animal evidence. The latter is based upon the	l with
carcinogen). This evaluation is given to Carbon Black for which there is inade human evidence, but sufficient animal evidence. The latter is based upon the	
development of lung tumors in rats receiving chronic inhalation exposures to carbon black at levels that induce particle overload of the lung.	luate ree
Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors.	

Section 13. Ecological Information

No data available.

Section 14. Disposal Consideration

This product is not a listed or hazardous waste in accordance with Federal Regulation 40 CFR Part 261. If discarded, this product would not be a hazardous waste either by listing or by characteristic. However, it is the responsibility of the product user to determine at the time of disposal whether a material has been contaminated and should be classified as a hazardous waste.

In accordance with RCRA 40 CFR Section 264.314 and 265.314, the placement of any liquid in landfills is prohibited.

Disposal is subject to local, state and federal regulations.

Section 15. Transport Information

DOT PROPER SHIPPING NAME: Not regulated as hazardous material.

Section 16. Regulatory Information

All ingredients are registered under the **Toxic Substances Control Act (TSCA)** or underpolymer exemption. All ingredients are exempt, registered or considered registered (polymers) under the **European Inventory of Existing Commercial Chemical Substances(EINECS/ELINCS)**.

Preparation not classified as dangerous (EU Directive 67/548/EEC;1999/45/EC).

All ingredients are listed on or are considered polymers under the Canadian Domestic Substances List (DSL) or Non Domestic Substances List (NDSL).

Note of the product ingredients are listed as **Emergency Planning and Community Right-to-Know Act** (EPCRA)-Section 302: Extremely Hazardous Substances (EHS).

None of the product components are present above the minimum quantities of listed chemicals in EPCRA Section 313 Supplier Notification.

This product contains no known materials at levels which the State California has found to cause cancer, birth defects or other reproductive harm - California Proposition 65.

Section 17. Other Information

Restrictions: This information relates only to the specific material designated as supplied by the manufacturer. This information is supplied to us by the manufacturer and Sharp offers no warranties as to its accuracy and accepts no responsibilities for any typographical errors which may appear on these sheets. It is the responsibility of the user to determine the suitability of this product for each particular use.

Literature Reference:

LARC(1996): LARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats.

Fundamental and Applied Toxicology 17, pp.280-299