



## MATERIAL SAFETY DATA SHEET

---

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identification

Product Name: Savin Fax AIO Type 500 (toner)  
Product Number: 430211 (9851)  
Chemical Name: mixture  
CAS Number: 0-00-0

#### Company Identification

Ricoh Corporation  
5 Dedrick Place  
West Caldwell, NJ 07006 USA  
1-973-882-2000 or 1-973-882-5218 (For product information)  
1-800-336-6737 (For emergencies)

#### **GENERAL USE:**

3699, 3799, 3799nf.

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### **COMPONENT LISTING:**

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
POLYESTER RESIN	40.0 - 70.0 %	
STYRENE-ACRYLIC RESIN	< 20.0 %	
MAGNETITE	30.0 - 50.0 %	1309-38-2
WAX	< 5.0 %	8015-86-9
SILICON COMPOUND	< 5.0 %	7631-86-9

#### **EXPOSURE GUIDELINES:**

##### **Magnetite**

ACGIH TWA: 10 mg/m<sup>3</sup>

### 3. HAZARDS IDENTIFICATION

#### **PRIMARY ENTRY ROUTES:**

Inhalation, ingestion.

#### **CARCINOGENICITY:**

This product does not contain the carcinogenic substances which are listed in NTP, IARC and are regulated by OSHA.

#### **MEDICAL CONDITION AGGRAVATED BY LONG-TERM EXPOSURE:**

Not applicable.

#### **CHRONIC EFFECTS:**

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to 'lung overloading', a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

#### **4. FIRST AID MEASURES**

**EYE CONTACT FIRST AID:**

Immediately wash eyes with large amounts of water. If unsuccessful, get medical attention.

**SKIN CONTACT FIRST AID:**

Wash thoroughly with soap and water.

**INHALATION FIRST AID:**

Gargle with water, move to place in fresh air. If unsuccessful, get medical attention.

**INGESTION FIRST AID:**

Induce vomiting. Seek medical attention immediately.

#### **5. FIRE FIGHTING MEASURES**

**FLAMMABLE PROPERTIES**

COC Flash Point: N/A

Autoignition Temperature: N/A

**FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

**BURNING RATE:**

Not available.

**EXTINGUISHING MEDIA:**

Carbon dioxide, dry chemicals, foam or water.

**FIRE FIGHTING INSTRUCTIONS:**

No special fire protecting method is required.

#### **6. ACCIDENTAL RELEASE MEASURES**

**SPILL / LEAK PROCEDURES:**

If spilled, sweep up or pick up by vacuum cleaner (rated for toner extraction).

**MISCELLANEOUS:**

Minimize inhalation of dust. Keep product out of sewers and watercourses.

#### **7. HANDLING AND STORAGE**

**HANDLING PRECAUTIONS:**

Do not handle in areas where wind blows. Flying powder may enter eyes. Minimize breathing dust.

**STORAGE REQUIREMENTS:**

Avoid direct sunlight. Do not keep this over 35C. Keep out of reach of children.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**VENTILATION:**

None needed under normal use condition.

**RESPIRATORY PROTECTION:**

None required under normal conditions of use.

**PROTECTIVE CLOTHING / EQUIPMENT:**

None required under normal conditions of use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

FORM .....: Powder  
COLOR .....: Black  
ODOR .....: slight plastic odor  
BOILING POINT .....: Not applicable C  
VAPOR PRESSURE .....: Not applicable psia  
VAPOR DENSITY .....: Not applicable (Air = 1)  
SOLUBILITY IN WATER .....: Insoluble  
MELTING/FREEZING POINT ...: Not available C  
PH .....: Not applicable  
% VOLATILES .....: - %

**10. STABILITY AND REACTIVITY**

**POLYMERIZATION:**

None.

**CONDITIONS TO AVOID:**

Not applicable in normal use.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Water; Carbon dioxide.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE ORAL EFFECTS:**

5000mg/kg.

**CARCINOGENICITY:**

No data is available on this product.

**MUTAGENICITY:**

Negative.Ames test.

**TERATOGENICITY:**

Not available.

## 12. ECOLOGICAL INFORMATION

### ENVIRONMENTAL DEGRADATION:

Not known.

## 13. DISPOSAL CONSIDERATIONS

### DISPOSAL:

Used toner should be disposed of in an environmentally appropriate manner and in accordance with governmental regulations. Do not incinerate.

## 14. TRANSPORT INFORMATION

PRODUCT LABEL ...: Savin Fax AIO Type 500 (toner)

### MISCELLANEOUS:

Avoid direct sunlight. Do not keep this over 35C.

## 15. REGULATORY INFORMATION

### Canadian Disclosure List

Silicon Compound (7631-86-9)

## 16. OTHER INFORMATION

HMIS Rating -           Health: 1  
                          Flammability: 1  
                          Reactivity: 0

PREPARED BY .....: David Huelbig  
APPROVED BY .....: David Huelbig  
TITLE .....: Safety Engineer  
APPROVAL DATE .....: September 19, 2002  
SUPERCEDES DATE ...: New  
RTN NUMBER .....: 00002394 (Official Copy)

\*\*\*\*\*  
This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Corporation. The data on this sheet are related only to the specific material designated herein. Ricoh Corporation assumes no legal responsibility for use or reliance upon these data.  
\*\*\*\*\*

\*\*\*\*\*  
END OF MSDS  
\*\*\*\*\*