

1.0 Product and Company Identification

Identification of the preparation HP Color LaserJet Black Print

Cartridge C9700A

Company Identification Hewlett-Packard Company

11311 Chinden Boulevard

Boise, Idaho 83714

United States

Emergency telephone number Hewlett-Packard Health Effects Line 1-800-457-4209 (USA and Canada) Intl: +1-503-494-7199 (all other areas)

Singapore: +001-800-332-13321

General information telephone number

1-208-323-2551 (USA and Canada) Intl: +1-208-323-2551 (all other areas)

Local Contact Information

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co.

Kildare, Ireland Phone: 01 6150000 **United Kingdom**

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

| Hazard Rating | US NFPA/HMIS | |
|------------------------|--------------|--|
| Health | 1 | |
| Flammability | 1 | |
| Instability/Reactivity | 0 | |
| Special | N/A | |

2.0 Composition/Information on Ingredients

This product is a black toner preparation that is used in Hewlett-Packard Color LaserJet 2500 and 1500 series printers.

| Component/Substance | CAS Number | EU Number | % by | Risk Phrases |
|---------------------|------------|-----------|---------|--------------|
| | | | Weight | |
| Styrene Acrylate | - | - | 75 - 85 | - |
| Copolymer | | | | |
| Wax | - | - | 5 - 15 | - |
| Carbon Black | 1333-86-4 | 215-609-9 | 1 - 8 | - |



3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.

Routes of Exposure Inhalation, Ingestion, skin and eyes.

Acute Health Hazards

Inhalation: Respiratory tract irritation may occur with exposure to large

amounts of dust.

Ingestion: Low acute toxicity. Ingestion is a minor route of entry for

intended use of this product.

Skin: Unlikely to cause skin irritation. **Eyes:** May cause transient slight irritation.

Chronic Health Hazards Prolonged inhalation of excessive amounts of any dust

may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. Carbon Black, in its unbound form, is listed as a Class 2B (Possible Human Carringgen) by IABC, Carbon black in

(Possible Human Carcinogen) by IARC. Carbon black in this product, due to its bound form, does not present a carcinogenic risk. This product contains no chemical substance subject to rules or orders under California Proposition 65. None of the other ingredients in this product are listed by IARC, NTP, EU, MAK, OSHA or ACGIH as a carcinogen. Refer also to section 11.

4.0 First Aid Measures

Carcinogenicity

Inhalation: Move person to fresh air immediately. If symptoms

occur, consult a physician.

Ingestion: Rinse mouth out with water. Drink one to two

glasses of water. If symptoms occur, consult a

physician immediately.

Skin: Wash affected areas with soap and water. If irritation

persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large

amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If

irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media CO₂, water, dry chemical

Unsuitable Extinguishing None Media



Special Firefighting None

Procedures

Unusual fire and explosion Like most organic material in powder form, toner can

> hazards form explosive dust-air mixtures when finely

> > dispersed in air.

Auto-ignition temperature Not available

Flashpoint (method) Not applicable

Hazardous Combustion CO₂, CO

Products

6.0 Accidental release measures

Spill or leak procedures Avoid breathing dust. Minimize the release of

particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local

requirements.

Environmental precautions Do not discharge into drains (See also Section 13,

Disposal Considerations).

7.0 Handling and Storage

Advice on safe handling and Keep material out of reach of children. Avoid

protection against fire inhalation of dust and contact with eyes. Use with

adequate ventilation. Keep away from excessive

heat, sparks, and open flames.

Requirements for storage

rooms and advise on storage compatibility

Keep out of the reach of children. Keep container closed and store at room temperature. Keep away

from strong oxidizers.

8.0 Exposure control/ personal protection

Exposure Limit Values

15 mg/m³ (Total Dust) USA OSHA (TWA/PEL):

5 mg/m³ (Respirable Fraction)

10 mg/m³ (Inhalable Particulate) ACGIH (TWA/TLV):

3 mg/m³ (Respirable Particulate)

10 mg/m³ (Einatembare Partikel) TRGS 900 (Luftgrenzwert):

3 mg/m³ (Alveolengängige Fraktion)

Carbon Black USA OSHA PEL - 3.5 mg/m³ (TWA) ACGIH TLV - 3.5 mg/m³ (TWA)

Exposure Controls

Respiratory protection Not required under intended use.



Ventilation Good general ventilation should be sufficient under

intended use.

Protective gloves Not required under intended use.

Eye protection Not required under intended use. **Other protective equipment** Not required under intended use.

9.0 Physical and chemical properties

pH Not applicable

Boiling point Not applicable **Flash point** Not applicable

Melting point 100 - 150°C (Softening Point)

Flammability Non-flammable solid (according to test methods of

EU Directive 92/69/EEC and as amended, A10

Flammability (Solids)

Explosive properties Toner material, like most organic material in powder

form, is capable of creating a dust explosion.

Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity (H₂O=1) 1.0 - 1.2 Solubility in water Negligible

Solubility in organic Partially soluble in toluene and xylene.

solvents

Partition coefficient Not applicable

Viscosity Not applicable Vapor density Not applicable

Evaporation rate Not applicable Physical state Fine powder

Color Black

Odor Slight plastic odor

Other Decomposition Temperature: >200 ° C

10.0 Stability and reactivity

Stability Stable under normal storage conditions

Incompatibilities Strong oxidizers

Hazardous decomposition CO₂, CO

products

Hazardous polymerization Will not occur

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Inhalation: LC₅₀:inh-rat>5mg/L/4 hrs., not harmful. **Ingestion:** LD₅₀:orl-rat>2000 mg/kg, not harmful.



Eye Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Skin Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC and as amended.

Chronic Toxicity: No data available.

Sensitization: Not classified as a sensitizer according to EU

Directive 67/548/EEC and as amended, and OSHA

HCS (US).

Mutagenicity: Negative, does not indicate mutagenic potential

(Ames Test: Salmonella typhimurium)

Carcinogenicity: Carbon Black, in its unbound form, is listed as a

Class 2B (Possible Human Carcinogen) by IARC. Carbon black in this product, due to its bound form, does not present a carcinogenic risk. This product contains no chemical substance subject to rules or orders under California Proposition 65. None of the other ingredients in this product are listed by IARC, NTP, EU, MAK, OSHA or ACGIH as a carcinogen.

Reproductive Toxicity: Not classified as toxic according to EU Directive

67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

13.0 Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number None

Class None

Proper Shipping Name None

Packing Group None

Special Precautions None



15.0 Regulatory information

US EPA TSCA Inventory All chemical substances in this product comply with

all rules or orders under TSCA.

US EPA TSCA 12(b) Contains p-Xylene - [CAS No. 106-42-3]

US California Proposition 65 None

EU Notification All components in this product are compliant with

EU Chemical Inventory regulations.

EU Hazard Label This product does not require a label under

(1999/45/EC): 1999/45/EC and as amended.

Special Precautions under None

1999/45/EC, Annex V

USA Labeling

Symbol Not required Hazard Warning Not required Safety Advice Not required

Hazardous Component(s) None

16.0 Other information

Date Prepared: July 1, 2004

HP-DMS Document Control

Number:

Revision Information: This documents replaces all prior version of the MSDS

EU & US Information This MSDS was prepared in compliance with EU

Directive 91/155/EEC as amended by 2001/58/EC and

USA OSHA Hazard Communications regulations

(29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or its suitability for a particular application.