

MATERIAL SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name:	Canon FX2 Cartridge
Product Code:	1556A / H11-6321
Manufacturer:	Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Phone # 03-3758-2111
Supplier:	Canon USA, Inc. One Canon Plaza, Lake Success, NY 11042, USA
Phone #:	1-800-OK-CANON, 24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	45-55	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20mppcf, 80(mg/m ³)/% SiO ₂	10mg/m³(TWA)	Not established	4mg/m ³ (Inhalable fraction)

CAS #

Reference

< Carcinogen > Chemical Name

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.



Vapor Pressure:

Vapor Density:

Water Solubility:

Percent Volatile:

Evaporation Rate:

Viscosity (mPa s):

Fat Solubility:

Density / Specific Gravity:

SECTION 8 EXPOS	URE CONTROLS / PERSONAL PROTECTION
Exposure Guidelines:	
): 15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m ³ (Inhalable fraction), 3 mg/m^3 (Respirable fraction)
DFG (MAK): (Also refer to SECTION	4 mg/m^3 (Inhalable fraction), 1.5 mg/m^3 (Respirable fraction)
·	2)
Engineering Controls: Use adequate ventilation	
Personal Protection Equip	
Respiratory Protection	X Not Required
Eye/Face Protection:	
<i></i>	Not Required
Skin Protection:	
	Not Required
SECTION 9 PHYSIC	CAL AND CHEMICAL PROPERTIES
Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100 - 150 (Softening point)
Decomposition Temperature	re(°C): >200
Flash Point(°C):	Not applicable
Flammable (Explosive) Lin	nits: Not applicable
Autoignition Temperature	(°C): Not available
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available

Not applicable

Not applicable

Partially soluble in toluene and xylene.

1.5-1.8

Negligible

Negligible

Not applicable

Not applicable

Partition Coefficient (n-Octanol/Water): Not applicable



SECTION 10 STABILITY AND	REACTIVITY
Stability:	☑ Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2
Hazardous Polymerization:	☐ May Occur X Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available	
Ingestion: Rat, LD50 > 2000mg/kg	
Eye: Rabbit, transient slight conjunct	ival irritation only.
Skin: Rabbit, non-irritant	
Sensitization: Guinea pig, skin : Non-sensitizin	ng
Mutagenicity: Ames Test (S.typhimurium, E.co	oli) : Negative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	
Others: Chronic effects:	

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.



SECTION 12 ECOLOGICAL INFORMATION

Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effects:	Not available
·	

SECTION 13 DISPOSAL CONSIDERATION

Method of Disposal:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state or local laws.

SECTION 14 T	RANSPORT INFORMATION
UN #:	2807
UN Shipping Name:	Magnetized material
UN Classification:	9
UN Packing Group:	None
	 ☐ Yes Chemical name (wt%): ☑ No
Special Precautions:	96 or more of these products shipped together, by air, are regulated as magnetized material.
SECTION 15 R	EGULATORY INFORMATION
< EU Information >	
Information on the	
•	tion: Not required
R-Phrase: Not required	
S-Phrase:	
Not required	
Dangerous Comp None	ponent(s):
Special Precaution	ons under 1999/45/EC Annex V:
Not required	
Specific Provisions	in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EEC)2455/92:	Not regulated
Others:	None
< USA Information >	
Information on the	Label:
Signal Word:	Not required
Hazard warning Not required	:



	Weight %
	Weight /0
	Weight %
	vveigne /v
Not applicable (Manufactured article)	
Not applicable (Manufactured article)	
Not classified as bezerdous according to cr	itaria of NOHSC
MATION	
vious version:	
CFR Part 372 n, 16CFR Part 1500 ical Substances and Physical Agents and Biological Expo vices National Toxicology Program, Annual Report on C gency for Research on Cancer, IARC Monographs on the 099/45/EC 5/92 formation System d Safety Commission's Approved Criteria for Classifying xposure Limit) under Occupational Safety and Health Ad imit Value) under American Conference of Governmenta s for Occupational Exposure under EU Directive 91/322/ tbeitsplatzkonzentrationen) under Deutsche Forschungsg Research on Cancer.	Carcinogens E Evaluation on the Carcinogenic Risk of Hazardous Substances[NOHSC:1008] dministration(USA). al Industrial Hygienists. EEC and 2000/39/EC.
	0 CFR Part 372 h, 16CFR Part 1500 ical Substances and Physical Agents and Biological Expr vices National Toxicology Program, Annual Report on C gency for Research on Cancer, IARC Monographs on the 199/45/EC 5/92 formation System 1 Safety Commission's Approved Criteria for Classifying kposure Limit) under Occupational Safety and Health Ad- imit Value) under American Conference of Government 5 for Occupational Exposure under EU Directive 91/322/